




SMART EMOTIONAL SHOWER

*Concealed Ceiling-Mounted Shower Systems for
Hotels, Villas, SPAs & Modern Homes*



Yuwang

SMART EMOTIONAL SHOWER

PRODUCT CATALOG

Concealed Ceiling-Mounted Shower Systems for Hotels, Villas, SPAs & Modern Homes

Foshan Leyu Sanitary Ware Technology Co., Ltd.

Global Sales: Foshan Passion Technology Co., Ltd.

www.yuwangshower.com | info@yuwangshower.com | +86 136 2080 5500

Edition 2026 — For Wholesale & B2B Partners

CONTENTS

1. About Yuwang — Company & History.....	4
1.1 Who We Are	4
1.2 Milestones	4
1.3 Certifications & Compliance	6
2. Technology Leadership & Intellectual Property	7
2.1 The Smart Emotional Shower Category.....	7
2.2 Intellectual Property.....	7
2.3 Design & Manufacturing Quality	8
3. The Three Therapies — Water, Light & Sound	9
3.1 Water Therapy — The Shapes of Shower Water.....	9
3.2 Light Therapy (Chromotherapy) — 65,400 Colors.....	10
3.3 Sound Therapy — Waterproof Hi-Fi Bluetooth Audio.....	11
4. Structural Design — Three Modular Building Blocks.....	12
1. The Install Frame	12
2. The Shower Body.....	12
3. The Faceplate	12
5. Electrical Safety — Engineered Separation of Water & Electricity.....	13
5.1 Electro-Hydraulic Separation Architecture.....	13
5.2 Waterproof Electrical Components.....	13
5.3 The UL-Certified, IP68 Waterproof Power Supply.....	14
6. Product Portfolio — Nine Shower Collections.....	15
6.1 Meteor Shower.....	16
6.2 Dream Forest	17
6.3 Honor	18
6.4 Wu • Jing	19
6.5 Cheer Bath	20
6.6 Bright Moon.....	21
6.7 Dopamine	22
6.8 Curtain Rain Stars	23
6.9 Happy Bath / Mindland Fantasy / Water Magic Cube / Fantasy Rain Paradise	24
7. Let's Build Your Next Project Together.....	25

1. About Yuwang — Company & History

1.1 Who We Are


Yuwang is the first brand in China dedicated exclusively to Smart Emotional Shower technology — concealed, multi-functional, ceiling-mounted shower systems that combine water, light, sound and intelligent control into one safe, immersive experience. Founded on the conviction that a shower can do more than clean, Yuwang designs and manufactures complete systems for private homes, hotels, villas, SPAs and wellness centers, and serves wholesale, project and OEM/ODM partners in more than 90 countries.



1.2 Milestones

2004	General Designer, Mr. Leo Chow, studied industrial design in Germany (Bauhaus-Universität Weimar), specializing in shower-system design and manufacturing.
2009	The first emotional-shower concept drawing is completed; two years of material, mechanical and electrical development follow.
2011	Yuwang launches the industry's first emotional shower head — ceiling rainfall with emotional mood lighting — and the company is founded by three partners.
2015	The YUWANG brand is formally established, focused on smart emotional shower systems.
2019–2024	Recipient of the KAPOK Design Award (Product Design) for six consecutive years.
2024	Named a “Quality Demonstration Unit” by Guangdong quality authorities; certified as a National High-Tech Enterprise.
2025	Selected among the Top 30 Quality Enterprises in the Guangdong 3·15 Quality Enterprise Directory; Miss He Yuxin, national synchronized-swimming champion, becomes brand ambassador.
2026	Honored as an Anti-Counterfeiting Co-Construction Unit and winner of the 3·15 “Trusted Consumer Brand” — the only sanitary-ware enterprise selected for the Guangdong 3·15 Consumer Rights Protection and Anti-Counterfeiting Project.

Today Yuwang reports more than 90 patents, a customer complaint rate of only 0.97%, and more than 100,000 Bright Moon series units installed in hospitality projects across China — quality that has made Yuwang a trusted OEM/ODM partner from Europe and the Middle East to Southeast Asia and the Americas.



Handwritten signature of Miss He Yuxin.

Synchronized swimming champion, Mermaid Atlantis Station Team Champion: Miss He Yuxin



Guangdong 3·15 Consumer Rights Protection and Anti-Counterfeiting Project

1.3 Certifications & Compliance

Every Yuwang shower is designed, manufactured and independently tested to internationally recognized standards. Certificates and related test reports are available upon request.

ISO 9001	Certified quality-management system covering design, production and service
CE	Electrical safety & EMC compliance for the European market
UL	Product safety certification for North America (including the power supply)
FCC	Electromagnetic compatibility certification
RoHS	Free from restricted hazardous substances
IP68	Waterproof & fog-proof Bluetooth speakers



2. Technology Leadership & Intellectual Property

2.1 The Smart Emotional Shower Category


Yuwang created the “Smart Emotional Shower” sub-category in sanitary ware: a shower that engages touch, sight and hearing to deliver wellness, not just cleaning.

2.2 Intellectual Property

Innovation at Yuwang is protected by more than 90 patents worldwide. Representative patented and proprietary technologies include:

- **Patented modular structure** — the patented three-module concealed structure (Install Frame + Shower Body + Faceplate) that makes installation and maintenance simple;
- **Electro-hydraulic separation** — a fully isolated water/electrical architecture that keeps water paths and circuits on separate layers;
- **0-Second-Stop** — a “0-Second-Stop” anti-drip system: when the water is turned off, not a single drop continues to fall;
- **Self-cleaning nozzles** — liquid-silicone nozzles with an internal helix structure that balance surface tension and gravity for drip-free shut-off and easy cleaning;
- **Smart Optical Crystal lighting** — overhead RGB/ROB lighting delivered through optical light-guide panels so every water droplet glows.



Additional proprietary components widely adopted in the industry include easy-install/release frame systems, high-performance liquid-silicone nozzles, embedded waterproof LED strips, high-reflectivity acrylic panels, high-pressure-resistant 304 stainless-steel fasteners, and waterproof power supplies and connectors.



Isolated Water/Electrical Architecture

2.3 Design & Manufacturing Quality

Laser cutting and drilling to ± 0.1 mm accuracy; automated one-by-one nozzle assembly; production lines of at least 38 steps per unit with a daily capacity of up to 500 units; and 100% water testing of every shower under high pressure (up to 1.0 MPa) and low pressure (down to 0.1 MPa) before packing. Materials are SUS 304 stainless steel with laser-cut faceplates in six finishes, and all fasteners are 304 stainless steel rated for 72 hours of salt-spray testing.



3. The Three Therapies — Water, Light & Sound


Yuwang shower system is built around three complementary therapies. Together they turn a daily routine into a multi-sensory wellness ritual — the essence of the Smart Emotional Shower.

3.1 Water Therapy — The Shapes of Shower Water

Yuwang has engineered seven signature water modes, each designed for a specific sensory and wellness benefit. Rainfall mode blends hot and cold water through a thermostatic valve and delivers it through up to 288 micro-nozzles (0.3 mm) as a uniform, gentle curtain — relaxing muscles, improving circulation and soothing the mind. Additional modes extend the experience:

- **The Rain** — The Essence of Natural Serenity. Hot and cold water are precisely blended by our thermostatic valve, then channeled through a precision-engineered internal chamber to upto maximum 288 **micro-nozzles** (0.3mm diameter).
- **Waterfall** — A broad, high-volume cascade for full-body rinsing. Variations: Angel Falls (high-velocity curtain) and Amidst the Rain (360° surrounding flow).
- **Ion-Rich Mist** — High-frequency nebulization atomizes water into 5–10 μm droplets enriched with negative ions (concentration $>139,000/\text{cm}^3$) that refresh the air, neutralize odors and calm the senses.
- **Dance Water** — Dynamic, pulsating jet sequences that create a playful hydro-massage across the body.
- **Ice-Jade Pillar** — Precision 2–3 mm pillar streams in a 7×3 matrix — a cool, refreshing, crystal-like flow.
- **Pretty Waist** — Angled nozzles create a woven, interlaced curtain inspired by the silhouette of the Canton Tower.
- **Canton Tower** — Water is emitted horizontally from a circular nozzle array and curves into a soft, veil-like converging cascade.


****Typical operating range: 0.15–1.0 MPa water pressure; rainfall flow up to 35 L/min; noise below 45 dB. ****





*Waterfall mode of Bath Palace, 400*400mm head.*

3.2 Light Therapy (Chromotherapy) — 65,400 Colors

Integrated high-performance flexible RGB or ROB LED strips offer more than 65,400 customizable colors for static ambiance or dynamic, breathing light shows. Light is not cast directly: it is reflected and refracted through a precision-engineered transparent acrylic light-guide panel, so illumination flows uniformly through every silicone nozzle — each droplet becomes a glowing point of light, bathing the whole shower in a soft, glare-free glow. Every water outlet emits light, creating a “waterfall of color”.




Colors are chosen for mood: calming blues and greens for morning clarity, warm ambers and reds for evening relaxation. Control is simple: the default 8-key remote controller is included with every shower head; on-wall remote and cable controllers are available as options.



3.3 Sound Therapy — Waterproof Hi-Fi Bluetooth Audio

Yuwang integrates a fully waterproof Bluetooth speaker system into the shower panel — rated IP68 for complete protection against steam and water. A high-fidelity 2.5-inch driver with an anti-condensation membrane delivers fog-proof, crystal-clear audio even during the hottest showers. Single-speaker models provide intimate ambiance; dual-speaker models create true surround stereo. Connect any Bluetooth device and stream music, podcasts or guided meditation while you shower.



IP68 waterproof Bluetooth speaker

4. Structural Design — Three Modular Building Blocks

Every Yuwang concealed system is built from three precision-engineered, independently accessible modules. This patented architecture makes installation simple, maintenance fast, and long-term service inexpensive — an important advantage for hotel and project buyers.

1. The Install Frame


A stainless-steel mounting structure (uniform black coating, normally 100 mm high) that installs first, inside the ceiling, creating a secure foundation. Suited to wood, drywall and integrated ceilings; the whole system recesses flush for a clean finish. Two installation methods: suspension on threaded rods, or side mounting with screws. Installation screws are supplied; threaded rods are prepared by the installer.



Install frame (pre-installed in ceiling)

2. The Shower Body


The technological heart of the system — a multi-layer 304-stainless-steel body integrating a silicone water barrier, liquid-silicone nozzles, a high-performance transparent light-guide plate and waterproof LED strips. It houses the patented water-electricity separation, chromotherapy lighting and hi-fi audio. Assembly withstands water pressure up to 3.5 MPa / 51 psi; all screws are 304 stainless steel, rated for 72 hours of salt-spray testing.



Shower body (multi-layer)

3. The Faceplate

The visible interface: SUS 304 stainless steel (1.5–2.5 mm), laser-cut and drilled with clean, burr-free edges, salt-spray tested for 72 hours. Available in six finishes — polished, matte black, gunmetal, gold, brushed gold and rose gold. Fitted last; the assembly can be disassembled in reverse order for servicing.




SUS 304 shower cover panel

5. Electrical Safety — Engineered Separation of Water & Electricity

Safety is the No.1 design priority at Yuwang. Every emotional shower connects to a standard indoor lighting circuit, so the entire electrical system is engineered to keep water and electricity completely apart — water flows one path, electricity follows another.

5.1 Electro-Hydraulic Separation Architecture

The shower body is built in five integrated layers — protective cover plate, waterproof silicone sealing gasket, base plate, light-guide panel and front faceplate — creating complete isolation between water paths and electrical components. The LED strip is hermetically sealed and directs light through the optical guide panel; illumination travels uniformly to every nozzle with zero risk of water-electricity contact.



Water & electricity separation design

5.2 Waterproof Electrical Components

Yuwang developed a fully integrated waterproof electrical system — every connection, circuit and interface is sealed against moisture, steam and even direct immersion:

- • waterproof power supply unit
- • waterproof PCB (potting-encapsulated)
- • waterproof multi-core connectors (O-ring sealed)
- • waterproof remote signal receiver
- • waterproof Hi-Fi Bluetooth speaker

5.3 The UL-Certified, IP68 Waterproof Power Supply

At the heart of the system is a premium external power supply engineered to the highest international standards — the component Yuwang is most proud of:

Input voltage	AC 95–265 V, 50/60 Hz (wide range, world-ready)
Output	Safe DC 24 V low-voltage output
Waterproof rating	IP68 — hermetically sealed, withstands full submersion
Protection	Built-in surge protection, overload protection and anti-electromagnetic-interference design; guards LED brightness consistency and signal stability
Certifications	UL, CE, FCC and RoHS certified with third-party test reports




Water-Proof, IP67 / IP68



24V DC, PSD



Over Current Protection



EMI Filtering

****Above related test reports are available upon request.****

The shower operates through a centralized power converter that steps mains voltage down to a safe low-voltage DC supply — combined with IP68-sealed connectors, a potted PCB, a waterproof signal receiver and waterproof speakers. The complete system is safe even under direct steam and water exposure.


6. Product Portfolio — Nine Shower System Collections

Yuwang currently offers 11 collections / 34 configurations in total: nine ceiling shower-system collections plus control valves and accessories. This catalog presents one representative model from each of the nine shower collections. Complete model lines, options and OEM/ODM configurations are available on request.

Every shower shares the same platform DNA:


- **Materials & build:** SUS 304 full stainless-steel construction; high-performance self-cleaning liquid-silicone nozzles; anti-loss stainless-steel bolts; 0-Second-Stop anti-drip.
- **Electrical safety:** patented water-electricity separation; UL-certified IP68 waterproof DC 24 V power supply; IP68 waterproof electronics and speakers.
- **Features:** RGB/ROB chromotherapy LED lighting (65,400+ colors); concealed ceiling installation with 100 mm recess depth; six faceplate finishes; 1/2" connections.

****For the best experience, a fine water supply is recommended.****



Color options for the shower head faceplate and components of: mixing control valve, massage side spray, handheld shower, wall-mounted faucet, cradles, sliding rod, shower hose.


Color Option :



Chrome



Black



Gold



Rose Gold



Brush Grey



Brush Gold

Disclaimer: Actual product colors may vary slightly from the images shown due to different monitor settings and lighting conditions during photo shoots.

6.1 Meteor Shower

Compact 300×300 mm — The Rain, Ion-rich mist & Bluetooth music



The Meteor Shower 300D brings three essentials into one compact 300×300 mm panel: gentle rainfall, air-purifying negative-ion mist, and an integrated waterproof Bluetooth speaker. Three independent water channels keep flow stable when switching or combining modes. Built from corrosion-resistant SUS 304 stainless steel with premium ABS internals, it delivers a full sensory retreat in a standard bathroom footprint — ideal for homes and boutique hotels.

Key specifications

Model	Meteor Shower 300D (Code 100400)
Panel size	300 × 300 × 71.5 mm
Material	304 full stainless steel
Shower modes	Rainfall + Ion-Rich Mist
Silicone nozzles	74
Bluetooth speaker	1 (IP68 waterproof)
LED lighting	RGB chromotherapy
Weight	20 kg
Power	AC 90–265 V, 50/60 Hz → DC 24 V, 5 W
Water pressure	0.1–1.0 MPa
Ceiling recess	100 mm
Connections	1/2" male inlet

Six models in the Meteor Shower family: 300A (*The Rain*), 300B (*The Rain* + mist), 300C (*The Rain* + music), 300D (*The Rain* + mist + music), 300E (*The Rain* + waterfall) and 400 (400×400 mm *The Rain*).

6.2 Dream Forest

400×400 mm — rainforest coverage with air-purifying ion mist



Dream Forest 400 turns the bathroom into a personal rainforest. A 400×400 mm panel with 192 precisely distributed silicone nozzles delivers immersive rainfall, while two dedicated negative-ion mist nozzles release concentrated streams of negatively charged ions that neutralize odors, bind airborne particles and clear humidity — ideal for health-care and wellness spaces as well as homes.

Key specifications

Model	Dream Forest 400 (Code 120100)
Panel size	400 × 400 × 71.5 mm
Material	304 full stainless steel
Shower modes	Rainfall + Ion-Rich Mist
Silicone nozzles	192
Bluetooth speaker	None
LED lighting	RGB chromotherapy
Weight	15 kg
Power	AC 90–265 V, 50/60 Hz → DC 24 V, 10 W
Water pressure	0.1–1.0 MPa
Ceiling recess	100 mm
Connections	1/2" male inlet

Part of the 400×400 mm "Nature" family together with Soul of Bath, Bath Palace and Bath Lofty (multi-function and music variants).

6.3 Honor

Round Ø500 mm — the “Pretty Waist” signature water mode



The Honor series is Yuwang’s round smart shower family with LED. Honor 500 showcases the signature “Pretty Waist” water mode: ingeniously angled nozzles create a woven, interlaced curtain of water inspired by the graceful silhouette of the Canton Tower — water that does not just fall but dances around you. Dual waterproof speakers and RGB/ROB lighting complete the experience. Available in Ø400, Ø500 and Ø600.


Key specifications

Model	Honor 500 (Code 130200)
Panel size	Ø500 × 85 mm (round)
Material	304 full stainless steel
Shower modes	Rainfall + Pretty Waist (+ optional Waterfall)
Silicone nozzles	80
Bluetooth speaker	2 (IP68 waterproof)
LED lighting	ROB chromotherapy
Weight	11 kg
Power	AC 90–265 V, 50/60 Hz → DC 24 V, 9 W
Water pressure	0.1–1.0 MPa
Ceiling recess	100 mm
Connections	1/2" male inlet

Three round models — Honor 400 (single function), Honor 500 and Honor 600 (dual-function music, up to 180 nozzles).

6.4 Wu • Jing A

500×500 mm — “Realm of Enlightenment”, three-function with music



Wu•Jing — “Realm of Enlightenment” — pairs the serenity of negative-ion mist with full rainfall coverage on a 500×500 mm panel. Wu•Jing A adds dual IP68 waterproof Bluetooth speakers, creating a meditative, spa-grade experience: purify the air with ion mist while your soundtrack plays overhead. Ideal for wellness centers, hotel suites and premium homes.

Key specifications

Model	Wu•Jing A 500 (Code 180100)
Panel size	500 × 500 × 71.5 mm
Material	304 full stainless steel
Shower modes	Rainfall + Waterfall + Ion-Rich Mist
Silicone nozzles	140
Bluetooth speaker	2 (IP68 waterproof)
LED lighting	RGB chromotherapy
Weight	11 kg
Power	AC 90–265 V, 50/60 Hz → DC 24 V, 9 W
Water pressure	0.1–1.0 MPa
Ceiling recess	100 mm
Connections	1/2" male inlet

Three variants — Wu•Jing A and C (three-function with dual music speakers) and Wu•Jing B (three-function, no speaker).

6.5 Cheer Bath

500×500 mm — the Canton Tower waterfall reimagined



Cheer Bath is named for joy — and its signature Canton Tower mode turns water into architecture. Water is emitted horizontally from a circular nozzle array, then curves gracefully into a veil-like cascade that drapes over you with astonishing softness, bathed in overhead ring light. Dual IP68 waterproof speakers and ROB lighting make every shower a celebration. Available in 500×500 mm and 700×400 mm.

Key specifications

Model	Cheer Bath 500 (Code 190100)
Panel size	500 × 500 × 71.5 mm
Material	304 full stainless steel
Shower modes	Rainfall + Waterfall + Canton Tower
Silicone nozzles	Available on request
Bluetooth speaker	2 (IP68 waterproof)
LED lighting	ROB chromotherapy
Weight	18 kg
Power	AC 90–265 V, 50/60 Hz → DC 24 V, 18 W
Water pressure	0.1–1.0 MPa
Ceiling recess	100 mm
Connections	1/2" male inlet

Two models — Cheer Bath 500 (500×500 mm) and Cheer Bath 700 (700×400 mm), both dual-speaker music systems with the signature Canton Tower mode.

6.6 Bright Moon

580×380 mm — the hotel benchmark, crescent-moon lighting



Bright Moon A is the benchmark of Yuwang hotel shower systems, with more than 100,000 units installed in hospitality projects across China. The 580×380 mm panel delivers expansive rainfall plus a dual-waterfall shoulder-massage mode, and the distinctive crescent-moon RGB LED design creates a memorable visual identity. Hotel operators report measurable gains in guest satisfaction after installation. Three configurations: A (2 functions), B (3 functions) and C (2 functions + dual speakers).

Key specifications

Model	Bright Moon A (Code 200100)
Panel size	580 × 380 × 71.5 mm
Material	304 full stainless steel
Shower modes	Rainfall + Dual Waterfall
Silicone nozzles	140
Bluetooth speaker	None (Bright Moon C adds 2)
LED lighting	RGB chromotherapy (crescent-moon design)
Weight	25 kg
Power	AC 90–265 V, 50/60 Hz → DC 24 V, 7 W
Water pressure	0.1–1.0 MPa
Ceiling recess	100 mm
Connections	1/2" male inlet

Three Bright Moon designs (A/B/C) at 580×380 mm — the hospitality benchmark with over 100,000 hotel installations.

6.7 Dopamine

300×600 mm — ceiling-tile-integrated, dual-speaker pleasure system



The Dopamine series introduces a 300×600 mm panel that matches standard suspended-ceiling tiles — no custom ceiling cuts, ideal for renovation and new build alike. Named for the brain's pleasure neurotransmitter, each model combines dual IP68 Bluetooth speakers with a mid-flow thermostatic valve (± 1 °C) as standard. Dopamine A offers Rainfall, Water Dance and Angel Falls; B offers Rainfall, Water Dance and the directional Amidst mode; C pairs crystalline Ice-Jade Pillar with Angel Falls; D pairs Ice-Jade Pillar with Amidst.


Key specifications

Model	Dopamine A (Code 210100)
Panel size	300 × 600 × 71.5 mm
Material	304 full stainless steel
Shower modes	Rainfall + Water Dance + Angel Falls
Silicone nozzles	112
Bluetooth speaker	2 (IP68 waterproof, standard)
Valve	Mid-flow thermostatic (± 1 °C) included
LED lighting	RGB chromotherapy
Weight	25 kg
Power	AC 90–265 V, 50/60 Hz → DC 24 V, 7 W
Water pressure	0.1–1.0 MPa
Ceiling recess	100 mm
Connections	1/2" male inlet

Four Dopamine models (A/B/C/D), all 300×600 mm, all dual-speaker with thermostatic valve — differentiated by the third water mode.

6.8 Curtain Rain Stars / Starrain Galaxy

800×600 mm — large-format flagship family with dual waterfall, ion-rich mist & dual speakers



Curtain Rain Stars is Yuwang’s large-format ceiling family, built on an expansive 800×600 mm panel that envelops the body from shoulder to shoulder — designed for villas, luxury hotel suites and professional spa environments where scale defines the experience. Each model curates its own water experience. Available in six finishes — Chrome, Black, Gold, Rose Gold, Brush Grey and Brush Gold — over full 304 stainless steel with rub-clean liquid silicone nozzles, the range is equally at home in residential luxury and high-traffic commercial settings, with concealed in-wall installation keeping the bathroom uncluttered.


Key specifications

Model	Curtain Rain Star C — Flagship (Code 250300)
Panel size	800 × 600 × 71.5 mm (frame 760 × 560 × 70 mm)
Material	304 full stainless steel
Shower modes	Rainfall + Waterfall + Ion-Rich Mist
Silicone nozzles	244 (+ 4 ion-rich mist nozzles)
Bluetooth speaker	2 (IP68 waterproof)
LED lighting	RGB chromotherapy (65,400 colors)
Weight	29 kg
Power	AC 90–265 V, 50/60 Hz → DC 24 V, 20 W
Water pressure	0.1–1.0 MPa
Ceiling recess	100 mm
Connections	1/2" male inlet
Finishes	Chrome, Black, Gold, Rose Gold, Brush Grey, Brush Gold

The Curtain Rain Stars family comprises three 800×600 mm models — A (Code 250100), B (Code 250200), C (Code 250300) and Starrain Galaxy A & B.

6.9 Happy Bath / Mindland Fantasy / Water Magic Cube / Fantasy Rain Paradise

900×300 mm — five-function music system with dual speakers



Happy Bath 900 matches standard ceiling-tile layouts (900×300 mm), making it the choice for villa and boutique-hotel projects that demand both impact and installation simplicity. With 200 precision nozzles, three water modes (Rainfall, Waterfall, Water Dance), six adjustable wall spray jets and two IP68 waterproof speakers, it is Yuwang’s best-selling system for residential and boutique hospitality — proven in thousands of installations across North America and Europe. Its color changer even shifts with water temperature, doubling as an anti-scald cue.

Key specifications

Model	Happy Bath 900 (Code 260300)
Panel size	900 × 300 × 72.5 mm
Material	304 full stainless steel
Shower modes	Rainfall + Waterfall + Water Dance (+ 6 wall jets)
Silicone nozzles	200
Bluetooth speaker	2 (IP68 waterproof)
Valve	SF221-K5 five-function concealed large-flow valve
LED lighting	RGB chromotherapy
Weight	25 kg
Power	AC 90–265 V, 50/60 Hz → DC 24 V, 18 W
Water pressure	0.1–1.0 MPa
Ceiling recess	100 mm
Connections	1/2" male inlet

The “large-format” family also includes Mindland Fantasy (700×400 mm, dual-user), Water Magic Cube (modular 400×200 mm blocks up to 1450 mm, fully customizable), and Fantasy Rain Paradise (1200×400 mm, six functions, the flagship).

7. Let's Build Your Next Project Together

Every Yuwang shower can be tailored to your market, brand and project — OEM and ODM welcome. We support custom faceplate finishes, logo and packaging, product configuration, hotel project specifications, and drop-shipping programs for distributors.

Why partners choose Yuwang

- **Category focus** — One of very few manufacturers focused exclusively on concealed ceiling smart shower systems with complete solutions.
- **Commercial proof** — More than 100,000 hotel installations; proven in high-traffic commercial environments.
- **Partnership** — OEM / ODM / private-label; export documentation; certification files available on request.

Manufacturer	Foshan Leyu Sanitary Ware Technology Co., Ltd.
Plant address	3/F, Block 1, Huiquan Technology Industrial Park, Taoyuandong Rd, Shishan Town, Nanhai District, Foshan, Guangdong, China
Global sales	Foshan Passion Technology Co., Ltd. (overseas sales representative)
Email	info@yuwangshower.com
Phone / WhatsApp	+86 136 2080 5500
Website	www.yuwangshower.com

WELCOME TO CUSTOMIZE

Tell us about your project — we will design the shower around it.

Smart Emotional Shower™

© 2011–2026 Foshan Leyu Sanitary Ware Technology Co., Ltd. ·

Yuwang is a trademark of Foshan Leyu Sanitary Ware Technology Co., Ltd. ·